
City of Milwaukee – Lead Dashboard



This dashboard provides an overview of lead hazards and childhood lead poisoning data in the **City of Milwaukee**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL	2,462	2,550	2,212
Number of children under 6 who received at least one blood lead test	24,494	25,051	24,388
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	10.1%	10.2%	9.1%
Percent of children between 12-35 months who received a blood lead test	68.3%	70.6%	73.2%
Number of live births	9,667	9,507	NA



residential properties (1-3 units) in the city were built before 1978, when lead-based paint was banned. Deteriorating lead-based paint is the most common source of lead poisoning.

lead service lines (approximate number from water main to curbstop) in the city. Water service lines installed before 1963 may be lead. Milwaukee treats water with orthophosphate to reduce the risk of lead entering water from contact with service lines and interior plumbing. 1,552 lead service line replacements have been completed from 2017 to 2018. housing units made lead-paint-safe in 2018 in the city of Milwaukee through enforcement efforts, innovative partnerships, and federal funding. Housing units require

housing units have been made lead-paint-safe from 1997 to 2017 in the city of Milwaukee through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.

ongoing maintenance to remain lead safe.


water filters certified to remove lead distributed in the City of Milwaukee by MHD from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines. Milwaukee Water Works distributed an additional 2,523 filter pitchers for LSL Replacement and DPW Construction projects.

child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities. Facilities are provided bottled water during and following LSL replacement until sampling confirms tap water can be used.

Dashboard updated: 10/04/19 | Lead Service Line data updated: 9/12/19




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	160	191	170
Number of children under 6 who received at least one blood lead test, by district	1,687	1,782	1,753
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	9.5%	10.2%	9.7%
Number of live births, by district	656	729	NA


Largest testing provider located in district: Wheaton Franciscan Family Care Center.



2nd District – Lead Dashboard




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	80	91	77
Number of children under 6 who received at least one blood lead test, by district	1,831	1,887	1,860
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	4.4%	4.8%	4.1%
Number of live births, by district	768	753	NA

Largest testing providers located in district: Children's Midtown Clinic, Dr. Devang Gandhi, Procare Medical Care



service lines.

child care facilities received lead service line replacements


lead service line replacements at all child care facilities.

from 2017 to 2018. The City of Milwaukee began funding full

3rd District - Lead Dashboard



This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	14	16	16
Number of children under 6 who received at least one blood lead test, by district	287	311	330
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	4.9%	5.1%	4.8%
Number of live births, by district	254	263	NA

Largest testing providers located in district: Columbia St. Mary's Hospital, Shoreview Pediatrics.

5,342	residential properties (1-3 units) in the district were built before 1978, when lead-based paint was banned. Deteriorating lead-based paint is the most common source of lead poisoning.
5,872	lead service lines (approximate number from water main to curbstop) in the district. Lead may enter drinking water through contact with these pipes. In Milwaukee, water service lines installed before 1963 may contain lead.
0	housing units made lead-paint-safe in 2018 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.
181	housing units have been made lead-paint-safe since 1997 to 2017 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.
107	water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.


child care facilities received lead service line replacements

lead service line replacements at all child care facilities.

from 2017 to 2018. The City of Milwaukee began funding full




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	124	114	95
Number of children under 6 who received at least one blood lead test, by district	921	894	876
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	13.5%	12.8%	10.8%
Number of live births, by district	405	424	NA

Largest testing providers located in district: Aurora Sinai, Baylon Family Practice.

103



housing units made lead-paint-safe in 2018 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.

housing units have been made lead-paint-safe since 1997 to 2017 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.


water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.

child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.

5th District – Lead Dashboard



This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	38	43	38
Number of children under 6 who received at least one blood lead test, by district	1,138	1,264	1,244
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	3.3%	3.4%	3.1%
Number of live births, by district	636	587	NA

Largest testing providers located in district: Capitol Pediatric Care, Southeastern Pediatrics.


0 01		,
	9,973	residential properties (1-3 units) in the district were built before 1978, when lead-based paint was banned. Deteriorating lead-based paint is the most common source of lead poisoning.
	1,102	lead service lines (approximate number from water main to curbstop) in the district. Lead may enter drinking water through contact with these pipes. In Milwaukee, water service lines installed before 1963 may contain lead.
	0	housing units made lead-paint-safe in 2018 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.
	11	housing units have been made lead-paint-safe since 1997 to 2017 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.
	12	water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.
4	1	child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full

lead service line replacements at all child care facilities.

6th District – Lead Dashboard



This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	385	359	315
Number of children under 6 who received at least one blood lead test, by district	1,808	1,725	1,673
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	21.3%	20.8%	18.8%
Number of live births, by district	702	679	NA

Largest testing providers located in district: Aurora Health Center- River Center, MLK Heritage Health Center, Outreach Community Health Center.



water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.


child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.

605

7th District – Lead Dashboard




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	294	291	279
Number of children under 6 who received at least one blood lead test, by district	1,872	1,814	1,838
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	15.7%	16.0%	15.2%
Number of live births, by district	698	752	NA

Largest testing providers located in district: Pediatric Associates - North, Wee Care WIC, Keenan Health Center - WIC.




water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.

child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.

586




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	222	246	191
Number of children under 6 who received at least one blood lead test, by district	2,750	2,658	2,360
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	8.1%	9.3%	8.1%
Number of live births, by district	698	654	NA

Largest testing providers located in district: Procare Medical Group, Southside Health Center – WIC.






This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	59	51	55
Number of children under 6 who received at least one blood lead test, by district	1,518	1,678	1,691
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	3.9%	3.0%	3.3%
Number of live births, by district	670	726	NA

Largest testing providers located in district: Northwest Health Center - WIC, Children's Good Hope Pediatrics.






This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	88	96	90
Number of children under 6 who received at least one blood lead test, by district	1,079	1,177	1,175
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	8.2%	8.2%	7.7%
Number of live births, by district	575	589	NA

Largest testing providers located in district: Pediatric Associates, Procare Medical Group-Downtown.






This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	27	35	25
Number of children under 6 who received at least one blood lead test, by district	1,143	1,347	1,308
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	2.4%	2.6%	1.9%
Number of live births, by district	527	549	NA

Largest testing provider located in district: Aurora Health Center Family Practice Center






This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	285	307	247
Number of children under 6 who received at least one blood lead test, by district	3,115	3,068	2,664
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	9.1%	10.0%	9.3%
Number of live births, by district	845	752	NA

Largest testing providers located in district: Sixteenth Street Community Health Center, Aurora Health Center- Walkers Point, Southeastern Pediatrics Southside.




residential properties (1-3 units) in the district were built before 1978, when lead-based paint was banned. Deteriorating lead-based paint is the most common source of lead poisoning.



lead service lines (approximate number from water main to curbstop) in the district. Lead may enter drinking water through contact with these pipes. In Milwaukee, water service lines installed before 1963 may contain lead.



housing units made lead-paint-safe in 2018 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.



housing units have been made lead-paint-safe since 1997 to 2017 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.



water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.




31

child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	49	50	56
Number of children under 6 who received at least one blood lead test, by district	1,496	1,627	1,666
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	3.3%	3.1%	3.4%
Number of live births, by district	578	578	NA

Largest testing providers located in district: Sixteenth Street Community Health Center, Best Care Pediatrics, Pediatric Associates.



water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.

partnerships, and federal funding. Housing units require


child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.

136

ongoing maintenance to remain lead safe.




This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.




	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	86	91	77
Number of children under 6 who received at least one blood lead test, by district	1,553	1,529	1,447
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	5.5%	6.0%	5.3%
Number of live births, by district	576	497	NA

Largest testing provider located in district: None






This dashboard provides an overview of lead hazards and childhood lead poisoning data at the **aldermanic district level**. While the dashboard does not provide a complete representation of all lead-based challenges in the city, it should assist with conversations around resource allocation, targeted interventions, and partnership development.



	2016	2017	2018
Number of children under 6 who had blood lead levels greater than 5 ug/dL, by district	551	569	478
Number of children under 6 who received at least one blood lead test, by district	2,234	2,258	2,105
Percent of children under 6 tested who had blood lead levels greater than 5 ug/dL	24.7%	25.2%	22.7%
Number of live births, by district	808	757	NA

Largest testing providers located in district: Next Door, Progressive Community Health Center Lisbon Avenue, Wee Care WIC- North.



housing units made lead-paint-safe in 2018 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.

housing units have been made lead-paint-safe since 1997 to 2017 in the district through enforcement efforts, innovative partnerships, and federal funding. Housing units require ongoing maintenance to remain lead safe.

water filters certified to remove lead were distributed by MHD to households in the district from 2016 to 2018. MHD distributes water filters to vulnerable households with lead service lines.

child care facilities received lead service line replacements from 2017 to 2018. The City of Milwaukee began funding full lead service line replacements at all child care facilities.